



interdynamics

Material Safety Data Sheet

Date of Preparation: 1/25/06

MSDS No. P-150UV

Section 1 – Chemical Product and Company Identification

Product Name: PAG Refrigerant Oil, ISO 150, "High" Viscosity with UV Dye.

Part Number(s): P-150UV

CAS Number: NOT APPLICABLE TO MIXTURES

Product Class: Automotive product

Manufacturer: Interdynamics, Inc. 80 39th Street, 8th Floor, Brooklyn, NY 11232

Information Phone No. (Interdynamics): 718-499-0608 **Emergency Phone No.(CHEMTREC):** 800-424-9300

Section 2 – Composition/ Information on Ingredients

Ingredient Name	CAS Number	OSHA TWA	ACGIH TLV
Polyoxoalkylene glycol ether	-	Not Listed	Not Listed
TriCresylphosphate	1330-78-5	Not Listed	Not Listed
UV Dye	-	-	-
Ingredients not precisely identified are proprietary or non-hazardous.			

Section 3 – Physical and Chemical Properties

Physical State: Liquid.

Appearance/Odor: Colorless with characteristic odor.

% Volatile: N/A

Boiling Range: >200 deg. C.

Vapor Density (Air=1): No Data

Specific Gravity (@C20 °C): No Data

Evaporation Rate(Butyl Acetate=1): No Data
C.

Vapor Pressure: <5 @ mmHg. at 20 deg. C.

Section 4 – Fire Fighting Measures

Flash Point: >250 deg. C.

Flash Point Method: Cleveland Open Cup

LEL: N/A

Extinguishing Media: Carbon Dioxide, Dry Chemical, Foam, Water Fog (avoid violent production of steam).

Unusual Fire or Explosion Hazards: Combustion Products: Oxides of phosphorous and carbon.

Special Fire-Fighting Procedures: Firefighters must wear self-contained breathing apparatus with full face-piece operated in pressure demand or positive pressure mode. Use full turnout gear.

Section 5 – Stability and Reactivity

Stability: Stable

Polymerization: Will not occur.

Incompatibilities & Conditions to Avoid: Avoid Strong oxidizing agents, alkali metals.

Hazardous Decomposition Products: Highly unlikely under intended handling and use.

Section 6 – Health Hazard Information

Primary Entry Routes: Eyes, dermal, inhalation and ingestion

Target Organs: Eyes, skin, respiratory system

Signs & Symptoms of Exposure: Repeated and/or prolonged skin contact may cause irritation. May cause mild eye irritation. High concentrations of mists or aerosols may be irritant to the respiratory tract.

Acute Effects: Skin and eye irritation.

Chronic Effects: Unknown.

Carcinogenicity: This product does not contain components that are listed as a Carcinogen.

Medical Conditions Generally Aggravated by Exposure: No Data.

Emergency and First Aid Procedures

Inhalation: Remove patient from exposure. If a cough or other respiratory symptoms develop, consult medical personnel.

Eye Contact: Irrigate with eyewash solution or clean water, holding eyelids apart, for at least 15 minutes. If redness, itching, or a burning sensation develops, have eyes examined and treated by medical personnel.

Skin Contact: Remove contaminated clothing. Wash material off of the skin with plenty of soap and water. If redness, itching, or burning sensation develops, get medical attention. Wash contaminated clothing and decontaminate footwear before use.

Ingestion: DO NOT induce vomiting. Wash out mouth and give 1 or 2 glasses of water to drink. If gastrointestinal symptoms develop, consult medical personnel. (Never give anything by mouth to an unconscious person.)

Note To Physician: This material is considered to be only slightly toxic. The potential complications associated with removing material from the GI tract, the amount digested, and the time since ingestion should be taken into account when developing a treatment plan.

Section 7 – Spill, Leak, and Disposal Procedures

Keep at temperature not exceeding 113 DEG F. Storage temperature is 60 – 100 deg. F. Keep containers dry. Keep away from direct sunlight, or any heat source.

Steps To Be Taken In Case Material Is Released or Spilled: Contain and absorb large spillages onto an inert, non-flammable absorbent carrier (such as earth or sand). Do not allow to enter drains, sewers, or waterways. Shovel into a chemical waste container for disposal or recovery.

Waste Disposal Method: In accordance with applicable Federal, State and local regulations. Discarded product is not a hazardous waste under RCRA 40 CFR 261.

Precautions To Be Taken In Handling and Storage: Wear protective gloves and clothing with an outer layer of Mylar coated Durafab. Wear safety goggles. Use in well ventilated areas.

Other Precautions: Avoid prolonged or recurring skin contact. Avoid eye contact. Avoid inhalation of high concentrations of mists or aerosols. Avoid ingress of moisture by keeping containers properly sealed when not in use. Keep away from strong oxidizing agents, alkali metals, heat or flame.

Section 8 – Exposure Controls / Personal Protection

Ventilation general mechanical ventilation. Oil mist inhalation should be avoided.

Protective Clothing/Equipment: NIOSH or MSHA respiratory protection must be worn if exposure to high concentrations is possible. Chemical tight goggles, full face-shield in addition if splashing is possible. Oil impervious

Protective Gloves with outer layer of Mylar coated Durafab or PVA or Neoprene. Apron, arm covers or full body suit, depending on conditions. Impervious boots in case of prolonged liquid contact.

Safety Stations: Ventilate low-lying areas such as sumps or pits where dense vapors may collect. Use local exhaust to control exposures.

Work/Hygienic Practices: Use in well ventilated areas. Avoid inhaling vapors. Avoid contact with eyes, skin or clothing. Provide eyewash station. Wear chemical tight goggles.

DOT Transportation Data

<u>PART NUMBER</u>	<u>SHIPPING NAME</u>	<u>HAZARD CLASS</u>	<u>IDNO.</u>	<u>PACKING GROUP</u>
P-150UV	Consumer Commodity	N/A	N/A	N/A

Disclaimer: All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, therefore users are responsible for verifying the data under their own operating

conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publications of use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.
